



Open Air Collection

Interface®

Smart design. Unlimited opportunities

Open Air is a platform of value driven, hard-working carpet tile styles designed with open spaces in mind. Available in our best-selling neutral colours, Open Air products integrate effortlessly with our system of flooring solutions to elevate any space.

Organic Patterns

Natural forms are irregular and unpredictable, perfect for eliciting a sense of well-being when used in a biophilic design with Open Air 402, 404 and 405.

Geometric Patterns

Using geometric forms, your design takes shape with Open Air 403.

Textured Patterns

A soft, subtle surface texture brings warmth to large, open spaces with Open Air 401.

All patterns in Open Air are carbon neutral throughout its full product life cycle through our Carbon Neutral Floors™ Programme.



Open Air 401 and 402 are our skinny planks in the Open Air collection.

Open Air 401 has a textured pattern. Its soft, subtle surface texture brings warmth to large, open spaces.

Open Air 402 has an organic pattern. Perfect for eliciting a sense of well-being when used in a biophilic design.



Top row: Open Air 401. Bottom row: Open Air 402

Open Air 401 Colour Range



9628001 Black



9628002 Iron



9628003 Flannel



9628004 Charcoal



9628005 Natural



9628006 Nickel



9628007 Granite



9628008 Stone



9628009 Linen



PRODUCT OPEN AIR 401 **COLOUR** STONE **INSTALLED** ASHLAR
PRODUCT WORLD WOVEN WW895 **COLOUR** LOCH WEAVE **INSTALLED** ASHLAR



Open Air 402 Colour Range



9624001 Black



9624002 Iron



9624003 Flannel



9624004 Charcoal



9624005 Natural



9624006 Nickel



9624007 Granite



9624008 Stone



9624009 Linen



PRODUCT OPEN AIR 401 **COLOUR** CHARCOAL **INSTALLED** ASHLAR
PRODUCT CHROMADOTS 1 **COLOUR** DRAGON FLY **INSTALLED** ASHLAR

Open Air 403, 404 and 405 are our squares in the Open Air collection.


Open Air 403 has a geometric pattern. The geometric shapes add movement to your space.

Open Air 404 and 405 have an organic pattern. Perfect for eliciting a sense of well-being when used in a biophilic designed space.




Top row: Open Air 404. Middle row: Open Air 403.
Bottom row: Open Air 405

Open Air 403 Colour Range




9626001 Black



9626002 Iron



9626003 Flannel



9626004 Charcoal



9626005 Natural



9626006 Nickel



9626007 Granite



9626008 Stone




9626009 Linen




PRODUCT OPEN AIR 403 COLOUR IRON, FLANNEL INSTALLED NON DIRECTIONAL




Open Air 404 Colour Range



9625001 Black



9625002 Iron



9625003 Flannel



9625004 Charcoal



9625005 Natural



9625006 Nickel



9625007 Granite




9625008 Stone




9625009 Linen


Open Air 405 Colour Range



9629001 Black



9629002 Iron



9629003 Flannel



9629004 Charcoal



9629005 Natural



9629006 Nickel



9629007 Granite



9629008 Stone



9629009 Linen



PRODUCT OPEN AIR 405 COLOUR CHARCOAL INSTALLED NON DIRECTIONAL



PRODUCT OPEN AIR 403 AND OPEN AIR 404 COLOUR NICKEL INSTALLED NON DIRECTIONAL
PRODUCT OPEN AIR 401 COLOUR CHARCOAL INSTALLED ASHLAR



CARPET PRODUCT OPEN AIR 405 COLOUR LINEN INSTALLED NON DIRECTIONAL
LVT PRODUCT LEVEL SET TEXTURED STONES COLOUR LIGHT CONCRETE INSTALLED NON DIRECTIONAL

Specifications

Open Air 401

Style Code	9628
Product Construction	Tufted Textured Loop
Yarn System	100% Recycled Solution Dyed Nylon
Machine Gauge	1/12
Pile Thickness	2.5mm (± 0.5mm)
Total Thickness	6.0mm (± 0.5mm)
Tile Size	25x100cm
Area of Use	Commercial - Heavy Use
ACCS (Australia Only)	Commercial Extra Heavy Duty & Stairs
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt®
Installation Methods	Ashlar, Herringbone



Open Air 402

Style Code	9624
Product Construction	Tufted Textured Loop
Yarn System	100% Recycled Solution Dyed Nylon
Machine Gauge	1/12
Pile Thickness	2.5mm (± 0.5mm)
Total Thickness	6.0mm (± 0.5mm)
Tile Size	25x100cm
Area of Use	Commercial - Heavy Use
ACCS (Australia Only)	Commercial Extra Heavy Duty & Stairs
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt®
Installation Methods	Ashlar, Herringbone



Open Air 405 **i2**

Style Code	9629
Product Construction	Tufted Textured Loop
Yarn System	100% Recycled Solution Dyed Nylon
Machine Gauge	1/12
Pile Thickness	2.5mm (± 0.5mm)
Total Thickness	6.0mm (± 0.5mm)
Tile Size	50x50cm
Area of Use	Commercial - Heavy Use
ACCS (Australia Only)	Commercial Extra Heavy Duty & Stairs
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt®
Installation Methods	Non Directional



Open Air 403 **i2**

Style Code	9626
Product Construction	Tufted Textured Loop
Yarn System	100% Recycled Solution Dyed Nylon
Machine Gauge	1/12
Pile Thickness	2.5mm (± 0.5mm)
Total Thickness	6.0mm (± 0.5mm)
Tile Size	50x50cm
Area of Use	Commercial - Heavy Use
ACCS (Australia Only)	Commercial Extra Heavy Duty & Stairs
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt®
Installation Methods	Non Directional



Open Air 404 **i2**

Style Code	9625
Product Construction	Tufted Textured Loop
Yarn System	100% Recycled Solution Dyed Nylon
Machine Gauge	1/12
Pile Thickness	2.5mm (± 0.5mm)
Total Thickness	6.0mm (± 0.5mm)
Tile Size	50x50cm
Area of Use	Commercial - Heavy Use
ACCS (Australia Only)	Commercial Extra Heavy Duty & Stairs
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt®
Installation Methods	Non Directional



Carbon Neutral Floors™



All Interface manufacturing facilities in the Asia Pacific region maintain registration to ISO 9001 Quality Management Systems and ISO 14001 Environmental Management Systems.

Production specifications are subject to normal manufacturing tolerances and may be changed without notice. Slight variation in colour among different production lots are normal and should be considered in the overall installation plan. Products covered by manufacturer's written warranty only. All other warranties, including without limitation any implied warranties of merchantability or fitness for particular purpose, are hereby disclaimed. Contact your representative for written warranty information.



Carbon Neutral Floors™

www.interface.com

Australia

Interface Australia
local toll free: 1800 804 361

India

Interface India
tel: +91 80 4613 1313

South East Asia

Interface Asia
tel: +65 6478 1510

South Korea

Interface South Korea
tel: +82 2 555 1734

Japan

Interface Japan
tel: +81 3 5733 5211

Beijing

Interface China
tel: +86 10 6590 7810

Hong Kong

Interface China
tel: +852 2802 0838

Shanghai

Interface China
tel: +86 21 6340 3868



Climate change is undeniable. And reversible. Our mission is to prove it. **Join the #ClimateTakeBack and help create a climate fit for life.**