


# Bike Path





---

# Colours

BP410



7928-001-000 Oregano



7928-002-000 Toffee



7928-003-000 Mint



7928-004-000 Lead



7928-005-000 Licorice



7928-006-000 Dove



7928-007-000 Ember



7928-008-000 Quartz




PRODUCT BP410 COLOUR LICORICE INSTALLED ASHLAR




---

# Colours

BP411



7929-001-000 Oregano/Lime



7929-003-000 Mint/Yellow



7929-005-000 Licorice/Teal




7929-007-000 Ember/Red



7929-002-000 Toffee/Orange



7929-010-000 Lead/Asia Blue



7929-006-000 Dove/Lime



7929-008-000 Quartz/Orange





PRODUCT BP411 COLOUR OREGANO/LIME INSTALLED HERRINGBONE



# Installation



PRODUCT BP410 COLOUR EMBER INSTALLED ASHLAR






PRODUCT BP411 COLOUR MINT/YELLOW INSTALLED HERRINGBONE



# Specifications

## BP410™

Style Code	7928 Pattern 000
Product Definition	Tufted Textured Loop
Yarn/Fibre	OptimumRE SD Type 6.6 Nylon
Colour System	100% Solution Dyed
Machine Gauge	1/12
Pile Thickness	2.0mm +/- 0.5mm
Total Thickness	5.5mm +/- 0.5mm
Tile Size	25cm x 100cm
Area of Use	Commercial – General Contract
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt <sup>2</sup> ®
Total Recycled Content	GlasBac® 65% to 70% recycled content GlasBac®RE 80% to 85% recycled content
Installation Methods	Ashlar, Herringbone




Ashlar



Herringbone

## BP411™


Style Code	7929 Pattern 000
Product Definition	Tufted Textured Loop
Yarn/Fibre	OptimumRE SD Type 6.6 Nylon
Colour System	100% Solution Dyed
Machine Gauge	1/12
Pile Thickness	2.0mm +/- 0.5mm
Total Thickness	5.5mm +/- 0.5mm
Tile Size	25cm x 100cm
Area of Use	Commercial – General Contract
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt <sup>2</sup> ®
Total Recycled Content	GlasBac® 65% to 70% recycled content GlasBac®RE 80% to 85% recycled content
Installation Methods	Ashlar, Herringbone



Ashlar



Herringbone



CoolCarpet™

Intersept®

